

IN THE CLAIMS:

1. (Withdrawn) A process for making granules of an insecticidally active phosphoroamido(di)thioate solids by compacting phosphoroamido(di)thioate solids that have been milled (a) to an average crystal length of less than 150 μm and an average crystal width of less than 40 μm , or (b) to a particle size distribution having at least 67 wt% of said solids have a size of 4.6-88 μm .
2. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids have been jet milled.
3. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids exhibit a mean size within the range of 10-29 μm .
4. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids exhibit a mean size within the range of 12-25 μm .
5. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids exhibit a mean size within the range of 15-23 μm .
6. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids exhibit a standard deviation of less than 40.
7. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids exhibit a standard deviation of less 35.
8. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids exhibit a standard deviation of less than 30.
9. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids have been milled to a particle size distribution whereby at least 68 wt% of said solids have a particle size of 4.6-88 μm .
10. (Withdrawn) The process according to claim 1, wherein said phosphoroamido(di)thioate solids have been milled to a particle size distribution whereby at least 70 wt% of said solids have a particle size of 4.6-88 μm .
11. (Withdrawn) The process according to claim 1 wherein said phosphoroamido(di)thioate solids have been milled to a particle size distribution

- whereby at least 52 wt% of said solids have a size within the range of 4.6-37 μ m and less than 14 wt% of said solids have a size within the range of 44-88 μ m.
12. (Withdrawn) The process according to claim 10 wherein said phosphoroamido(di)thioate solids have been milled to a particle size distribution whereby at least 55 wt% of said solids have a size within the range of 4.6-37 μ m and less than 13 wt% have a size within the range of 44-88 μ m.
 13. (Withdrawn) The process according to claim 10 wherein said phosphoroamido(di)thioate solids have been milled to a particle size distribution whereby at least 60 wt% of said solids have a size within the range of 4.6-37 μ m and less than 11 wt% have a size within the range of 44-88 μ m.
 14. (Withdrawn) The process of claim 1 wherein the compacting step is performed by passing the milled solids, a binding agent, and a nonaqueous solvent for said binder through an extruder.
 15. (Withdrawn) The process according to claim 1, wherein said granules have a bulk density of at least 450 g/l.
 16. (Withdrawn) The process according to claim 1, wherein said granules have a bulk density of about 450 g/l to about 650 g/l.
 17. (Withdrawn) The process according to claim 1, wherein said granules comprise about 0.5 wt% of polymeric binder and about 1.0 wt% of a particulate flow aid and the balance acephate.
 18. (Withdrawn) The process according to claim 1, wherein said granules comprise about 0.5 wt% of a polyethylene oxide binder, about 0.5 wt% silica and the balance acephate.
 19. (Currently Amended) Compacted granules of milled crystalline phosphoroamido(di)thioate solids wherein said solids have been jet milled (a) to an average crystal length of less than 150 μ m and an average crystal width of less than 40 μ m, [[or]] and (b) to a particle size distribution having at least 67 wt% of said solids have a size of 4.6-88 μ m in width.

20. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said solids further exhibit a mean particle size within the range of 10-29 μm .
21. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said solids further exhibit a mean particle size within the range of 12-25 μm .
22. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said solids further exhibit a mean particle size within the range of 15-23 μm .
23. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said particle size distribution has ~~solids have a particle size having~~ a standard deviation of less than 40 μm .
24. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said particle size distribution has ~~solids have a particle size having~~ a standard deviation of less 35 μm .
25. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said particle size distribution has ~~solids have a particle size having~~ a standard deviation of less than 30 μm .
26. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said solids have been jet milled to a particle size distribution ~~whereby said phosphoroamido(di)thioate solids have been milled to a particle size distribution~~ whereby at least 68 wt% of said solids have a particle size of 4.6-88 μm in width.
27. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said ~~phosphoroamido(di)thioate~~ solids have been milled to a particle size distribution whereby at least 70 wt% of said solids have a particle size of 4.6-88 μm in width.
28. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19 wherein said ~~phosphoroamido(di)thioate~~ solids have been milled to a particle size distribution whereby at least ~~[[52]]~~55 wt% of said solids have

a size within the range of 4.6-37 μ m in width and less than 14 wt% of said solids have a size within the range of 44-88 μ m in width.

29. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19 wherein said ~~phosphoroamido(di)thioate~~ solids have been milled to a particle size distribution whereby at least 55 wt% of said solids have a size within the range of 4.6-37 μ m in width and less than 13 wt% have a size within the range of 44-88 μ m in width.
30. (Currently Amended) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19 wherein said ~~phosphoroamido(di)thioate~~ solids have been milled to a particle size distribution whereby at least 60 wt% of said solids have a size within the range of 4.6-37 μ m in width and less than 11 wt% have a size within the range of 44-88 μ m in width.
31. (Original) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said granules have a bulk density of at least 450 g/l.
32. (Original) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said granules have a bulk density of about 450 g/l to about 650 g/l.
33. (Original) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 19, wherein said granules comprise a binder, a particulate flow aid, and acephate.
34. (Original) The compacted granules of milled phosphoroamido(di)thioate solids according to claim 33, wherein said binder comprises a polyethylene oxide polymer.